



## Lithium Power Pack 24 V/100 Ah

The lithium-ion battery from Clayton is a true 24 V power pack. It is available with a capacity of 100 Ah and thus replaces much larger and heavier lead batteries of comparable capacity in the smallest space.

- // Integrated battery management system
- // Long lifetime
- // Compact and lightweight

The battery management system is already fully integrated and protects against overcharging and deep discharge. With a cycle stability of 2,000 cycles, the average service life is up to six times longer compared to conventional batteries.

In addition, lithium-ion batteries can be charged extremely quickly: They tolerate high charging currents. Under ideal conditions, the 100 Ah variant, for example, is fully ready for use again in less than an hour.

## Product information sheet

Product number: 1061001003

Date: 31.07.2025

Page: 2/3



## Technical Information

Nominal voltage (battery)	24 V*
Rated charging and discharging current	50 A
Available Capacity	80 Ah
Cell Voltage	2.3 V
Cell Voltage, max.	4.2 V
Charging Voltage	30 V
Charging current, continuous	100 A
Communication	CAN (SAEJ1939) - Single Wire
Cooling	Controlled fan
Cycle stability (70 % DoD)	> 5,000
Cycle stability (80 % DoD)	> 3,000
Discharge current, continuous	100 A
International Protection (IP class)	IP20
Number of inputs	3
Number of outputs	2
Operating temperature	-40 °C ... +50 °C
Operating voltage, min.	18.4 V
Dimensions (L x W x H)	558 x 192 x 274 mm
Weight	26.96 kg

\*In the chosen option

Technical Information

Parallel connection	1 ... 20
Pulse Discharge Current, max. (10 min)	200 A (temperature controlled)
Pulse Discharge Current, max. (10 µs)	> 1.000 A
Pulse Discharge Current, max. (5 s)	> 500 A
Self-consumption	180 mA
Self-consumption (sleep mode)	< 2 %
Self-consumption (sleep mode/month)	< 3 %

\*In the chosen option